



ELSEVIER

Marine Micropaleontology 37 (1999) 381–387

**MARINE  
MICROPALEONTOLOGY**

www.elsevier.com/locate/marmicro

## Subject Index Marine Micropaleontology Volumes 35–37

- absolute age**  
absolute age *see* C-14  
absolute dating *see* absolute age
- Acrosphaera**  
Invertebrata 36(2-3) 67-79
- actual age (absolute age) *see* absolute age
- adaptive radiation**  
Israel, stratigraphy 35(3-4) 203-233  
Spain, stratigraphy 35(3-4) 203-233
- Africa *see* East Africa; North Africa
- aggregate**  
paleobotany 37(2) 219-223
- Agulhas Bank**  
Quaternary 37(1) 1-22
- Agulhas Current**  
Quaternary 37(1) 1-22
- Alamedilla Spain**  
stratigraphy 35(3-4) 203-233
- Albegna River**  
Quaternary 37(3-4) 289-311
- Alboran Sea**  
Quaternary 35(1-2) 91-103
- algae**  
Ceratolithus, Atlantic Ocean 35(1-2) 17-41  
Coccolithophoraceae 37(2) 219-223  
Arctic Ocean 35(3-4) 179-201  
Netherlands 36(1) 1-12
- diatoms  
Atlantic Ocean 36(4) 249-267  
Pacific Ocean 35(3-4) 161-177; 37(2) 199-218  
Spain 35(1-2) 91-103
- Gephyrocapsa oceanica, Indian Ocean 37(1) 1-22
- nannofossils  
Arctic Ocean 35(3-4) 179-201
- Atlantic Ocean 35(1-2) 17-41; 37(1) 41-52  
Italy 36(1) 13-30  
Sphenolithus, Atlantic Ocean 35(3-4) 235-255
- algal mats**  
Pacific Ocean, Neogene 35(3-4) 161-177
- Alveolinella**  
Quaternary 36(2-3) 109-168
- Amazon River**  
Invertebrata 37(3-4) 365-379
- Ammonoidea**  
Italy, stratigraphy 37(2) 101-116
- Amphistegina**  
Japan, Quaternary 36(2-3) 109-168
- Andalusia Spain *see* Malaga Spain
- Antarctic Continent *see* Antarctica
- Antarctic Ocean**  
paleobotany  
Bellingshausen Sea 37(2) 77-99  
Weddell Sea 37(2) 77-99
- Antarctica**  
Ostracoda 37(3-4) 345-364
- Apennines**  
stratigraphy 36(1) 13-30
- Arabian Peninsula *see* Oman
- Arabian Sea**  
Quaternary 35(1-2) 43-66; 36(1) 31-63; 36(2-3) 91-107
- Arctic Ocean**  
Quaternary  
Icelandic Plateau 35(1-2) 105-140  
Lomonosov Ridge 37(3-4) 251-272  
Norwegian Sea 35(3-4) 179-201  
Yermak Plateau 37(3-4) 251-272
- Arctic region**  
Quaternary 35(1-2) 105-140
- Arthropoda *see* Mandibulata
- Asia *see* Arabian Peninsula; Far East; Middle East
- Atlantic Ocean** *see also* North Atlantic; Norwegian Sea  
Invertebrata 37(3-4) 365-379  
Miocene 35(3-4) 235-255  
paleobotany 35(1-2) 17-41  
Pliocene 37(1) 41-52  
Quaternary 35(1-2) 105-140  
Labrador Sea 36(4) 249-267  
Mid-Atlantic Ridge 37(3-4) 231-250  
stratigraphy 36(4) 169-188; 37(1) 53-65; 37(1) 67-76
- Bairdiidae**  
East Pacific Ocean Islands 37(3-4) 327-343
- Bairdiomorpha *see* Bairdiaceae
- Baltic Sea**  
Quaternary 37(3-4) 313-325
- Bellingshausen Sea**  
paleobotany 37(2) 77-99
- Ben Gurion Israel**  
stratigraphy 35(3-4) 203-233
- benthonic foraminiferal oxygen index**  
stratigraphy 37(1) 67-76
- biocenoses**  
Gulf of California, Radiolaria 37(2) 149-171
- bioclastic sedimentation**  
Italy, stratigraphy 37(2) 101-116
- biocoenoses *see* biocenoses
- biogenic structures *see* algal structures
- biogeography** *see also* adaptive radiation  
Antarctic Ocean, paleobotany 37(2) 77-99

- Antarctica, Ostracoda 37(3-4) 345-364  
 Arctic Ocean, Quaternary 35(1-2) 105-140  
 Arctic region, Quaternary 35(1-2) 105-140  
 Brazil, Invertebrata 37(3-4) 365-379  
 East Pacific Ocean Islands, Invertebrata 37(3-4) 327-343  
 Japan, Quaternary 36(2-3) 109-168  
 Oman, Quaternary 36(2-3) 91-107  
 Somali Republic, Quaternary 36(2-3) 91-107  
 South America, Ostracoda 37(3-4) 345-364  
**biologic evolution** *see also* adaptive radiation  
 Atlantic Ocean  
   paleobotany 35(1-2) 17-41  
   Pliocene 37(1) 41-52  
 Caribbean Sea, Pliocene 35(1-2) 1-16  
 East Pacific Ocean Islands, Invertebrata 37(3-4) 327-343  
 Invertebrata 36(2-3) 67-79; 36(2-3) 81-89  
**biostratigraphy** *see also* biozones; nannofossils; paleoecology  
 37(1) 53-65; 37(1) 67-76; 37(3-4) 227-230; 37(3-4) 227-379  
 Arctic Ocean, Quaternary 37(3-4) 251-272  
 Atlantic Ocean 35(3-4) 235-255  
   Quaternary 37(3-4) 231-250  
 Brazil 37(3-4) 365-379  
 Caribbean Sea 35(1-2) 1-16  
 Indian Ocean, Quaternary 37(1) 1-22  
 Italy, Quaternary 37(3-4) 289-311  
 Japan, Quaternary 37(1) 23-40  
 Netherlands 36(1) 1-12  
 Pacific Ocean, Quaternary 37(2) 173-198  
 Sweden, Quaternary 37(3-4) 313-325  
 Tunisia 36(1) 65-66  
**biozones**  
 Atlantic Ocean, Pliocene 37(1) 41-52  
 Brazil, stratigraphy 37(2) 117-129  
 Israel, stratigraphy 35(3-4) 203-233  
 Italy, stratigraphy 37(2) 101-116  
 Spain, stratigraphy 35(3-4) 203-233  
 United Kingdom, Quaternary 36(4) 205-223  
**blind test method**  
 Tunisia, stratigraphy 36(1) 65-66  
**body size** *see* size  
**book reviews**  
 Miocene 35(3-4) 257-258  
**Botryostrobus scutum**  
 Radiolaria 37(2) 149-171  
**boundaries, stratigraphic** *see* stratigraphic boundary  
**Brazil** *see also* Amazon River  
 Quaternary 35(1-2) 67-89  
 stratigraphy  
   Pelotas Basin 37(2) 117-129  
   Rio Grande do Sul Brazil 37(2) 117-129  
 British Somaliland *see* Somali Republic  
**C** *see* carbon  
**C-13/C-12**  
 Atlantic Ocean, stratigraphy 36(4) 169-188  
 Europe, Jurassic 37(3-4) 273-288  
 Israel, stratigraphy 35(3-4) 203-233  
 Italy, Quaternary 37(3-4) 289-311  
 Korea, Miocene 36(4) 269-290  
 Oman, Quaternary 36(2-3) 91-107  
 Pacific Ocean, Quaternary 37(2) 173-198  
 Quaternary 35(3-4) 141-160  
 Somali Republic, Quaternary 36(2-3) 91-107  
 Spain, stratigraphy 35(3-4) 203-233  
**C-14**  
 Arabian Sea, Quaternary 36(1) 31-63  
 Arctic Ocean, Quaternary 35(3-4) 179-201  
 Cainozoic *see* Cenozoic  
 calcareous nannofossils *see* nannofossils  
**Calcidiscus leptoporus**  
 Quaternary 37(1) 1-22  
**Cananea-Iguape Lagoon**  
 Quaternary 35(1-2) 67-89  
**carbon**  
 C-13/C-12  
   Atlantic Ocean 36(4) 169-188  
   Europe 37(3-4) 273-288  
   Israel 35(3-4) 203-233  
   Italy 37(3-4) 289-311  
   Korea 36(4) 269-290  
   Oman 36(2-3) 91-107  
   Pacific Ocean 37(2) 173-198  
   Quaternary 35(3-4) 141-160  
   Somali Republic 36(2-3) 91-107  
   Spain 35(3-4) 203-233  
 C-14  
   Arabian Sea 36(1) 31-63  
   Arctic Ocean 35(3-4) 179-201  
 organic carbon  
   Pacific Ocean 37(2) 173-198  
   stratigraphy 37(1) 67-76  
 paleontology 36(4) 225-248  
 carbon-14 *see* C-14  
 Caribbean Sea *see* DSDP Site 502  
**Carmen Basin**  
 Radiolaria 37(2) 149-171  
**Cenozoic** *see also* Quaternary; Tertiary  
 37(1) 53-65; 37(1) 67-76  
 Pacific Ocean 37(2) 131-147  
 Cephalopoda *see* Tetrabranchiata  
**Ceratolithaceae**  
 paleobotany 35(1-2) 17-41  
**Ceratolithus**  
 Atlantic Ocean 35(1-2) 17-41  
**Ceratolithus larrymayeri**  
 paleobotany 35(1-2) 17-41  
**chemostratigraphy**  
 Atlantic Ocean  
   Pliocene 37(1) 41-52  
   Quaternary 37(3-4) 231-250  
 Korea, Miocene 36(4) 269-290  
 chorology *see* biogeography  
**climate change**  
 Antarctica, Ostracoda 37(3-4) 345-364  
 Atlantic Ocean, Quaternary 36(4) 249-267; 37(3-4) 231-250  
 Brazil, stratigraphy 37(2) 117-129  
 Europe, Jurassic 37(3-4) 273-288  
 Israel, stratigraphy 35(3-4) 203-233  
 Japan, Quaternary 37(1) 23-40  
 Korea, Miocene 36(4) 269-290  
 Ostracoda 37(3-4) 227-230; 37(3-4) 227-379  
 Pacific Ocean, Quaternary 37(2) 173-198; 37(2) 199-218  
 paleontology 36(4) 225-248  
 South America, Ostracoda 37(3-4) 345-364  
 Spain, stratigraphy 35(3-4) 203-233  
 stratigraphy 37(1) 53-65  
 climatology, paleo- *see* paleoclimatology  
**Coccolithophoraceae** *see also* Ceratolithus;  
 Gephyrocapsa oceanica  
 37(2) 219-223  
 Arctic Ocean, Quaternary 35(3-4) 179-201  
 Netherlands, stratigraphy 36(1) 1-12  
**Collophidium**  
 Invertebrata 36(2-3) 81-89  
 colloquia *see* symposia  
**Collophaeridae**  
 Invertebrata 36(2-3) 67-79  
**Collozoum**  
 Invertebrata 36(2-3) 67-79; 36(2-3) 81-89  
 conferences *see* symposia  
**continental slope**  
 Japan, Quaternary 36(2-3) 109-168  
 coral reefs *see* reefs  
**Cretaceous**  
 37(1) 53-65; 37(1) 67-76  
 K-T boundary  
   Netherlands 36(1) 1-12  
   Tunisia 36(1) 65-66  
 Maestrichtian  
   Atlantic Ocean 36(4) 169-188  
   Netherlands 36(1) 1-12  
   Pacific Ocean 37(2) 131-147

- Cretaceous-Tertiary boundary *see* K-T boundary
- Crustacea *see* Ostracoda
- CURFS Quarry**  
stratigraphy 36(1) 1-12
- currents *see* ocean currents
- Cyprididae**  
East Pacific Ocean Islands 37(3-4) 327-343
- Cytheracea** *see also* Cytheridae  
Sweden, Quaternary 37(3-4) 313-325
- Cytherelloidea**  
Europe, Jurassic 37(3-4) 273-288
- Cytheridae**  
East Pacific Ocean Islands 37(3-4) 327-343
- Cytherocopina *see* Cytheracea
- Cytheromorpha macchesneyi**  
Quaternary 37(3-4) 313-325
- Dactylioceras tenuicostatum**  
stratigraphy 37(2) 101-116
- data bases**  
Antarctica, Ostracoda 37(3-4) 345-364  
South America, Ostracoda 37(3-4) 345-364
- death assemblages *see* thanatocenoses
- Deep Sea Drilling Project** *see also* IPOD;  
Leg 22; Leg 40; Leg 44  
stratigraphy 37(1) 53-65
- deglaciation**  
Arctic Ocean, Quaternary 35(3-4) 179-201
- Dendritina**  
Quaternary 36(2-3) 109-168
- diatoms**  
Atlantic Ocean, Quaternary 36(4) 249-267  
Pacific Ocean  
Neogene 35(3-4) 161-177  
Quaternary 37(2) 199-218  
Spain, Quaternary 35(1-2) 91-103
- Dinoflagellata**  
Antarctic Ocean 37(2) 77-99  
Italy, stratigraphy 37(2) 101-116
- Dong Hai *see* East China Sea
- Drupparractus variabilis**  
Radiolaria 37(2) 149-171
- DSDP *see* Deep Sea Drilling Project
- DSDP Site 214**  
Pliocene 35(1-2) 1-16
- DSDP Site 360**  
Quaternary 37(1) 1-22
- DSDP Site 390**  
stratigraphy 36(4) 169-188
- DSDP Site 463**  
Ostracoda 37(2) 131-147
- DSDP Site 502**  
Pliocene 35(1-2) 1-16
- DSDP Site 503**  
Pliocene 35(1-2) 1-16
- DSDP Site 563**  
Miocene 35(3-4) 235-255
- DSDP Site 606**  
Pliocene 37(1) 41-52
- DSDP Site 607**  
Pliocene 37(1) 41-52
- DSDP Site 610**  
Pliocene 37(1) 41-52
- East Africa *see* Somali Republic
- East China Sea**  
Quaternary 36(2-3) 109-168
- East Pacific *see* Northeast Pacific
- East Pacific Ocean Islands**  
Invertebrata, Easter Island 37(3-4) 327-343
- Easter Island**  
Invertebrata 37(3-4) 327-343
- ecology** *see also* biogeography; continental slope; reefs  
Atlantic Ocean, Quaternary 36(4) 249-267
- economic geology *see* aggregate
- El Kef Tunisia**  
stratigraphy 36(1) 65-66
- Emilia-Romagna Italy**  
stratigraphy 36(1) 13-30
- ENCI Quarry**  
stratigraphy 36(1) 1-12
- environmental geology *see* ecology
- Eocene**  
Israel 35(3-4) 203-233  
Spain 35(3-4) 203-233
- Europe** *see also* Southern Europe; Western Europe  
Jurassic 37(3-4) 273-288
- Far East *see* Japan; Korea
- fecal pellets**  
paleobotany 37(2) 219-223
- Florisphaera profunda**  
Quaternary 37(1) 1-22
- Foraminifera** *see also* Rotaliina  
36(4) 189-204  
Arabian Sea, Quaternary 35(1-2) 43-66;  
36(1) 31-63  
Brazil, Quaternary 35(1-2) 67-89  
Caribbean Sea, Pliocene 35(1-2) 1-16  
Israel, stratigraphy 35(3-4) 203-233  
Japan, Quaternary 37(1) 23-40  
Korea, Miocene 36(4) 269-290  
Pacific Ocean  
Neogene 35(3-4) 161-177  
Quaternary 37(2) 173-198  
Quaternary 35(3-4) 141-160  
Spain, stratigraphy 35(3-4) 203-233  
stratigraphy 37(1) 53-65; 37(1) 67-76  
Tunisia, stratigraphy 36(1) 65-66  
United Kingdom, Quaternary 36(4) 205-223
- geochronology *see* absolute age; Cenozoic; Cretaceous; Eocene; Holocene; Jurassic; Miocene; Neogene; Oligocene; Paleocene; Phanerozoic; Pleistocene; Pliocene; Quaternary
- geomorphology *see* glacial geology; sea-level changes
- geothermal surveys *see* heat flow
- Gephyrocapsa oceanica**  
Indian Ocean, Quaternary 37(1) 1-22
- glacial geology *see* glaciation
- glacial maximum, last *see* last glacial maximum
- glacial rebound**  
Brazil, stratigraphy 37(2) 117-129
- glaciation *see* deglaciation
- glaciology *see* glacial geology
- global change *see* climate change
- Globigerinacea** *see* Globigerinidae; Heterohellicidae; Neogloboquadrina pachyderma
- Globigerinella siphonifera**  
Quaternary 35(3-4) 141-160
- Globigerinoides**  
Indian Ocean, Quaternary 37(1) 1-22
- Great Britain**  
Quaternary 36(4) 205-223
- Greenland Sea *see* Norwegian Sea
- Gulf of California**  
Radiolaria 37(2) 149-171
- heat flow**  
Pacific Ocean, Quaternary 37(2) 199-218
- Heterohellicidae**  
Atlantic Ocean, stratigraphy 36(4) 169-188
- Heterostegina**  
Japan, Quaternary 36(2-3) 109-168
- Holocene**  
35(3-4) 141-160  
Arctic Ocean 35(1-2) 105-140; 35(3-4) 179-201  
Arctic region 35(1-2) 105-140  
Atlantic Ocean 36(4) 249-267  
Brazil 35(1-2) 67-89; 37(3-4) 365-379  
Italy 37(3-4) 289-311  
Japan 36(2-3) 109-168  
Oman 36(2-3) 91-107  
Pacific Ocean 37(2) 173-198  
Somali Republic 36(2-3) 91-107  
United Kingdom 36(4) 205-223
- Iberian Peninsula *see* Spain
- Icelandic Plateau**  
Quaternary 35(1-2) 105-140
- Indian Ocean** *see also* Arabian Sea  
Pliocene 35(1-2) 1-16  
Quaternary, Agulhas Bank 37(1) 1-22  
stratigraphy 37(1) 53-65; 37(1) 67-76
- Invertebrata *see* Arthropoda; Mollusca; Protista



IPOD *see* Leg 62; Leg 68; Leg 82; Leg 94

isostatic rebound *see* glacial rebound

# isotope fractionation

Quaternary 35(3-4) 141-160

# isotopes

C-13/C-12

Atlantic Ocean 36(4) 169-188

Europe 37(3-4) 273-288

Israel 35(3-4) 203-233

Italy 37(3-4) 289-311

Korea 36(4) 269-290

Oman 36(2-3) 91-107

Pacific Ocean 37(2) 173-198

Quaternary 35(3-4) 141-160

Somali Republic 36(2-3) 91-107

Spain 35(3-4) 203-233

C-14

Arabian Sea 36(1) 31-63

Arctic Ocean 35(3-4) 179-201

O-18/O-16

Arabian Sea 35(1-2) 43-66; 36(1) 31-63

Atlantic Ocean 35(3-4) 235-255; 36(4) 169-188

Europe 37(3-4) 273-288

Indian Ocean 37(1) 1-22

Italy 37(3-4) 289-311

Japan 37(1) 23-40

Korea 36(4) 269-290

Oman 36(2-3) 91-107

Quaternary 35(3-4) 141-160

Somali Republic 36(2-3) 91-107

stratigraphy 37(1) 53-65

Sr-87/Sr-86, Italy 37(3-4) 289-311

# Israel

stratigraphy, Negev 35(3-4) 203-233

# Italy *see also* Apennines

Quaternary, Tuscany Italy 37(3-4) 289-311

stratigraphy

Emilia-Romagna Italy 36(1) 13-30

Marches Italy 37(2) 101-116

Umbria Italy 37(2) 101-116

# Japan

Quaternary

Okinawa 36(2-3) 109-168

Ryukyu Islands 37(1) 23-40

Japan Current *see* Kuroshio

# Japan Sea

Miocene 36(4) 269-290

# Jurassic

Europe 37(3-4) 273-288

# K-T boundary

Netherlands 36(1) 1-12

Tunisia 36(1) 65-66

Kef Tunisia *see* El Kef Tunisia

# Korea

Miocene, Pohang South Korea 36(4) 269-290

# Kuroshio

Japan, Quaternary 37(1) 23-40

Pacific Ocean, Quaternary 37(2) 199-218

# Labrador Sea

Quaternary 36(4) 249-267

# Lagoa da Conceicao

Quaternary 35(1-2) 67-89

# lagoons

Brazil, Quaternary 35(1-2) 67-89

# laminations

Pacific Ocean, Neogene 35(3-4) 161-177

# land bridges

Japan, Quaternary 37(1) 23-40

# last glacial maximum

Japan, Quaternary 37(1) 23-40

Leg 22 *see* DSDP Site 214

Leg 40 *see* DSDP Site 360

Leg 44 *see* DSDP Site 390

Leg 62 *see* DSDP Site 463

Leg 68 *see* DSDP Site 502; DSDP Site 503

Leg 82 *see* DSDP Site 563

Leg 94 *see* DSDP Site 606; DSDP Site 607; DSDP Site 610

Leg 114 *see* ODP Site 704

Leg 138 *see* ODP Site 844; ODP Site 849; ODP Site 851

# Leg 154

paleobotany 35(1-2) 17-41

life assemblage *see* biocenoses

lightweight aggregate *see* aggregate

# Limburg Netherlands

stratigraphy 36(1) 1-12

# Lithomelissa thoracites

Radiolaria 37(2) 149-171

# Lomonosov Ridge

Quaternary 37(3-4) 251-272

lower Neogene *see* Miocene

lower Paleocene *see* K-T boundary

# Maestrichtian

Atlantic Ocean 36(4) 169-188

Netherlands 36(1) 1-12

# magnetostratigraphy

Atlantic Ocean

Miocene 35(3-4) 235-255

Pliocene 37(1) 41-52

# Malaga Spain

Quaternary 35(1-2) 91-103

# Mancodinium semitabulatum

stratigraphy 37(2) 101-116

Mandibulata *see* Crustacea

# Marches Italy

stratigraphy 37(2) 101-116

# marine sediments

Arctic Ocean, Quaternary 35(1-2) 105-140

Arctic region, Quaternary 35(1-2) 105-140

Atlantic Ocean, Quaternary 36(4) 249-267

Japan, Quaternary 36(2-3) 109-168

Oman, Quaternary 36(2-3) 91-107

Somali Republic, Quaternary 36(2-3) 91-107

Spain, Quaternary 35(1-2) 91-103

# Mediterranean region

stratigraphy 36(1) 13-30

Mediterranean Sea *see also* West Mediterranean

Quaternary, Alboran Sea 35(1-2) 91-103

meetings *see* symposia

Mesozoic *see* Cretaceous; Jurassic

# Messinian

Italy 36(1) 13-30

microbial mats *see* algal mats

micropaleontology 36(4) 225-248

# Mid-Atlantic Ridge

Quaternary 37(3-4) 231-250

Middle East *see* Israel

# Miocene

35(3-4) 257-258

Atlantic Ocean 35(3-4) 235-255

Korea 36(4) 269-290

Messinian, Italy 36(1) 13-30

Tortonian, Italy 36(1) 13-30

# Mollusca

Ammonoidea, Italy 37(2) 101-116

Italy, Quaternary 37(3-4) 289-311

# monsoons

Arabian Sea, Quaternary 35(1-2) 43-66

Oman, Quaternary 36(2-3) 91-107

Somali Republic, Quaternary 36(2-3) 91-107

# Monte del Casino

stratigraphy 36(1) 13-30

# Morris Jesup Rise

Quaternary 37(3-4) 251-272

nannofossils *see also* Sphenolithus

Arctic Ocean, Quaternary 35(3-4) 179-201

Atlantic Ocean 35(1-2) 17-41

Pliocene 37(1) 41-52

Italy, stratigraphy 36(1) 13-30

Nansei-shoto *see* Ryukyu Islands

# Negev

stratigraphy 35(3-4) 203-233

Neogene *see also* Miocene; Pliocene

Atlantic Ocean 35(1-2) 17-41

Brazil 37(2) 117-129

Pacific Ocean 35(3-4) 161-177

# Neogloboquadrina pachyderma

Indian Ocean, Quaternary 37(1) 1-22

Oman, Quaternary 36(2-3) 91-107

Somali Republic, Quaternary 36(2-3) 91-107

# Netherlands

stratigraphy, Limburg Netherlands 36(1) 1-12

# Nicklithus

paleobotany 35(1-2) 17-41

North Africa *see* Tunisia

**North America**

Jurassic 37(3-4) 273-288

North Atlantic *see* Baltic Sea; Caribbean Sea; Labrador SeaNortheast Pacific *see* Gulf of CaliforniaNorthwest Pacific *see* East China Sea; Japan Sea; Okinawa Trough**Norwegian Basin**

Quaternary 35(1-2) 105-140

Norwegian Sea *see also* Icelandic Plateau

Quaternary 35(3-4) 179-201

Nummulites *see* OperculinaNummulitidae *see* NummulitesO *see* oxygen**O-18/O-16**

Arabian Sea, Quaternary 35(1-2) 43-66; 36(1) 31-63

Atlantic Ocean

Miocene 35(3-4) 235-255

stratigraphy 36(4) 169-188

Europe, Jurassic 37(3-4) 273-288

Indian Ocean, Quaternary 37(1) 1-22

Italy, Quaternary 37(3-4) 289-311

Japan, Quaternary 37(1) 23-40

Korea, Miocene 36(4) 269-290

Oman, Quaternary 36(2-3) 91-107

Quaternary 35(3-4) 141-160

Somali Republic, Quaternary 36(2-3) 91-107

stratigraphy 37(1) 53-65

ocean circulation *see also* ocean currents

Antarctica, Ostracoda 37(3-4) 345-364

Oman, Quaternary 36(2-3) 91-107

Somali Republic, Quaternary 36(2-3) 91-107

South America, Ostracoda 37(3-4) 345-364

Spain, Quaternary 35(1-2) 91-103

**ocean currents**

Antarctic Ocean, paleobotany 37(2) 77-99

Arctic Ocean, Quaternary 35(1-2) 105-140

Arctic region, Quaternary 35(1-2) 105-140

Atlantic Ocean, Quaternary 36(4) 249-267

Indian Ocean, Quaternary 37(1) 1-22

Japan, Quaternary 37(1) 23-40

Pacific Ocean, Quaternary 37(2) 199-218

Ocean Drilling Program *see also* Leg 114; Leg 138; Leg 154

Pliocene 35(1-2) 1-16

stratigraphy 37(1) 53-65

oceanography *see* continental slope; ocean circulation; reefs; sea ice; sediments**ODP Site 704**

Quaternary 37(1) 1-22

**ODP Site 844**

Neogene 35(3-4) 161-177

**ODP Site 849**

Neogene 35(3-4) 161-177

**ODP Site 851**

Neogene 35(3-4) 161-177

**ODP Site 926**

Pliocene 35(1-2) 1-16

**Okinawa**

Quaternary 36(2-3) 109-168

**Okinawa Trough**

Quaternary 37(1) 23-40

**Oligocene**

Antarctica 37(3-4) 345-364

South America 37(3-4) 345-364

**Oman**

Quaternary 36(2-3) 91-107

**Operculina**

Japan, Quaternary 36(2-3) 109-168

**Orbetello Italy**

Quaternary 37(3-4) 289-311

Orbitoidacea *see* Amphistegina**organic carbon**

Pacific Ocean, Quaternary 37(2) 173-198

stratigraphy 37(1) 67-76

organic compounds *see also* pigments;

sapropel; total organic carbon

paleobotany 37(2) 219-223

**Ostracoda**

37(3-4) 227-230; 37(3-4) 227-379

Antarctica 37(3-4) 345-364

Arctic Ocean, Quaternary 37(3-4) 251-272

Atlantic Ocean, Quaternary 37(3-4) 231-250

Bairdiidae, East Pacific Ocean Islands

37(3-4) 327-343

Brazil, stratigraphy 37(2) 117-129

Cyprididae, East Pacific Ocean Islands 37(3-4) 327-343

Cytheracea, Sweden 37(3-4) 313-325

Cytherelloidea, Europe 37(3-4) 273-288

Cytheridae, East Pacific Ocean Islands 37(3-4) 327-343

Italy, Quaternary 37(3-4) 289-311

Pacific Ocean 37(2) 131-147

Podocopida, Brazil 37(3-4) 365-379

South America 37(3-4) 345-364

**oxygen**

O-18/O-16

Arabian Sea 35(1-2) 43-66; 36(1) 31-63

Atlantic Ocean 35(3-4) 235-255; 36(4) 169-188

Europe 37(3-4) 273-288

Indian Ocean 37(1) 1-22

Italy 37(3-4) 289-311

Japan 37(1) 23-40

Korea 36(4) 269-290

Oman 36(2-3) 91-107

Quaternary 35(3-4) 141-160

Somali Republic 36(2-3) 91-107

stratigraphy 37(1) 53-65

stratigraphy 37(1) 67-76

Pacific Ocean *see also* East Pacific; North Pacific; West Pacific

Neogene 35(3-4) 161-177

Ostracoda 37(2) 131-147

Pliocene 35(1-2) 1-16

Quaternary 37(2) 173-198; 37(2) 199-218

Okinawa Trough 37(1) 23-40

stratigraphy 37(1) 53-65; 37(1) 67-76

**paleo-oceanography**

37(1) 53-65; 37(1) 67-76; 37(3-4) 227-230

Arabian Sea, Quaternary 35(1-2) 43-66; 36(1) 31-63

Arctic Ocean, Quaternary 35(1-2) 105-140; 35(3-4) 179-201; 37(3-4) 251-272

Arctic region, Quaternary 35(1-2) 105-140

Atlantic Ocean 36(4) 169-188; 37(1) 41-52

Quaternary 36(4) 249-267; 37(3-4) 231-250

Caribbean Sea 35(1-2) 1-16

Indian Ocean, Quaternary 37(1) 1-22

Israel 35(3-4) 203-233

Italy 36(1) 13-30; 37(2) 101-116

Japan, Quaternary 37(1) 23-40

Korea 36(4) 269-290

Pacific Ocean 35(3-4) 161-177

Quaternary 37(2) 173-198; 37(2) 199-218

Quaternary 35(3-4) 141-160

Spain 35(3-4) 203-233

Quaternary 35(1-2) 91-103

paleobiogeography *see* biogeography**Paleocene**

Israel 35(3-4) 203-233

K-T boundary

Netherlands 36(1) 1-12

Tunisia 36(1) 65-66

Spain 35(3-4) 203-233

paleoclimatology *see also* C-13/C-12; last glacial maximum; O-18/O-16

37(3-4) 227-230; 37(3-4) 227-379

Antarctica 37(3-4) 345-364

Atlantic Ocean, Quaternary 36(4) 249-267; 37(3-4) 231-250

Brazil 37(2) 117-129

Gulf of California 37(2) 149-171

Italy 36(1) 13-30

Pacific Ocean, Quaternary 37(2) 199-218

paleontology 36(4) 225-248

South America 37(3-4) 345-364

paleoecology *see also* biogeography; lagoons

Arabian Sea, Quaternary 35(1-2) 43-66

Atlantic Ocean 36(4) 169-188

Quaternary 36(4) 249-267

Brazil 37(2) 117-129

Europe 37(3-4) 273-288


Italy 37(2) 101-116

Korea 36(4) 269-290

- Pacific Ocean 37(2) 131-147  
paleontology 36(4) 225-248  
Paleogene *see* Eocene; Oligocene; Paleocene  
paleogeography *see* biogeography; sea-level changes  
paleontology *see* Foraminifera; Mollusca; Ostracoda; Radiolaria  
**palynomorphs**  
Dinoflagellata  
Antarctic Ocean 37(2) 77-99  
Italy 37(2) 101-116  
**Para River**  
Invertebrata 37(3-4) 365-379  
**Pelotas Basin**  
stratigraphy 37(2) 117-129  
**Peneroplis**  
Quaternary 36(2-3) 109-168  
**Peridium spinipes**  
Radiolaria 37(2) 149-171  
**Phanerozoic** 37(3-4) 227-230; 37(3-4) 227-379  
**photosymbiosis**  
Atlantic Ocean, stratigraphy 36(4) 169-188  
**phylogeny**  
Atlantic Ocean, paleobotany 35(1-2) 17-41  
Invertebrata 36(2-3) 67-79; 36(2-3) 81-89  
phytogeography *see* biogeography  
**pigments**  
Quaternary 35(3-4) 141-160  
**Plagiocantha panarium**  
Radiolaria 37(2) 149-171  
planar bedding structures *see* laminations; varves  
**Planoglobulina acervulinoides**  
stratigraphy 36(4) 169-188  
**Planoglobulina multicamerata**  
stratigraphy 36(4) 169-188  
Plantae *see* algae  
Platycopida *see* Cytherellidae  
**Pleistocene**  
Arabian Sea 35(1-2) 43-66  
Arctic Ocean 35(3-4) 179-201  
Indian Ocean 37(1) 1-22  
Pacific Ocean 37(2) 173-198  
Younger Dryas, Arabian Sea 36(1) 31-63  
pleniglacial, last *see* last glacial maximum  
**Pliocene**  
Atlantic Ocean 37(1) 41-52  
Caribbean Sea 35(1-2) 1-16  
**Podocopida** *see also* Bairdiomorpha; Cypridocopina; Cytherocopina; Platycopida  
Brazil 37(3-4) 365-379  
**Pohang Basin**  
Miocene 36(4) 269-290  
**Pohang South Korea**  
Miocene 36(4) 269-290  
**Polycystinea**  
Invertebrata 36(2-3) 67-79; 36(2-3) 81-89  
**Porodiscus**  
Radiolaria 37(2) 149-171  
post-glacial rebound *see* glacial rebound  
Postglacial *see* Holocene  
**Protista** *see also* Radiolaria  
Amphistegina, Japan 36(2-3) 109-168  
Foraminifera 36(4) 189-204  
Arabian Sea 35(1-2) 43-66; 36(1) 31-63  
Brazil 35(1-2) 67-89  
Caribbean Sea 35(1-2) 1-16  
Israel 35(3-4) 203-233  
Japan 37(1) 23-40  
Korea 36(4) 269-290  
Pacific Ocean 35(3-4) 161-177; 37(2) 173-198  
Quaternary 35(3-4) 141-160  
Spain 35(3-4) 203-233  
stratigraphy 37(1) 53-65; 37(1) 67-76  
Tunisia 36(1) 65-66  
United Kingdom 36(4) 205-223  
Globigerinoides, Indian Ocean 37(1) 1-22  
Heterohelidae, Atlantic Ocean 36(4) 169-188  
Heterostegina, Japan 36(2-3) 109-168  
Neoglobobadrina pachyderma  
Indian Ocean 37(1) 1-22  
Oman 36(2-3) 91-107  
Somali Republic 36(2-3) 91-107  
Operculina, Japan 36(2-3) 109-168  
**Protoperidinium**  
paleobotany 37(2) 77-99  
**Pseudoguembelina palpebra**  
stratigraphy 36(4) 169-188  
**Pulleniatina**  
Quaternary 37(1) 23-40  
**Quaternary** *see also* Holocene; last glacial maximum; Pleistocene  
Antarctic Ocean 37(2) 77-99  
Antarctica 37(3-4) 345-364  
Arctic Ocean 37(3-4) 251-272  
Atlantic Ocean 37(3-4) 231-250  
Brazil 37(2) 117-129  
Pacific Ocean 37(2) 199-218  
South America 37(3-4) 345-364  
Yoldia Sea, Sweden 37(3-4) 313-325  
**Racemiguembelina fruticosa**  
stratigraphy 36(4) 169-188  
radiocarbon dating *see* C-14  
**Radiolaria**  
Arctic Ocean, Quaternary 35(1-2) 105-140  
Arctic region, Quaternary 35(1-2) 105-140  
Gulf of California 37(2) 149-171  
Spumellina 36(2-3) 67-79; 36(2-3) 81-89  
Recent *see* Holocene  
**reefs**  
Japan, Quaternary 36(2-3) 109-168  
**Reticulofenestra**  
Pliocene 37(1) 41-52  
**Reticulofenestra minutula**  
Pliocene 37(1) 41-52  
ribonucleic acid *see* RNA  
Rio Amazonas *see* Amazon River  
**Rio Grande do Sul Brazil**  
stratigraphy 37(2) 117-129  
Riukiu Islands *see* Ryukyu Islands  
**RNA**  
Invertebrata 36(2-3) 67-79  
Rotaliacea *see* Heterostegina; Nummulitidae  
Rotaliina *see* Globigerinacea; Orbitoidacea; Rotaliacea  
**Ryukyu Islands** *see also* Okinawa  
Quaternary 37(1) 23-40  
**salt water**  
Brazil, Quaternary 35(1-2) 67-89  
**saltation** 35(3-4) 203-233  
**sapropel**  
Italy, stratigraphy 36(1) 13-30  
Scandinavia *see* Sweden  
**Scotia Sea**  
paleobotany 37(2) 77-99  
**sea ice**  
Antarctic Ocean, paleobotany 37(2) 77-99  
Sea of Japan *see* Japan Sea  
sea surface temperature *see* sea-surface temperature  
**sea-level changes** *see also* transgression  
Europe, Jurassic 37(3-4) 273-288  
Japan, Quaternary 37(1) 23-40  
United Kingdom, Quaternary 36(4) 205-223  
**sea-surface temperature**  
Atlantic Ocean, Quaternary 36(4) 249-267  
sedimentary petrology *see* reefs; sediments  
**sedimentary structures**  
algal mats, Pacific Ocean 35(3-4) 161-177  
laminations, Pacific Ocean 35(3-4) 161-177  
varves, Sweden 37(3-4) 313-325  
**sedimentation**  
bioclastic sedimentation, Italy 37(2) 101-116  
**sediments**  
Brazil, Quaternary 35(1-2) 67-89  
marine sediments  
Arctic Ocean 35(1-2) 105-140  
Arctic region 35(1-2) 105-140  
Atlantic Ocean 36(4) 249-267  
Japan 36(2-3) 109-168  
Oman 36(2-3) 91-107  
Somali Republic 36(2-3) 91-107  
Spain 35(1-2) 91-103  
Senonian *see* Maestrichtian  
**sequence stratigraphy**  
Italy 37(2) 101-116



- Sesoko Island**  
Quaternary 36(2-3) 109-168  
shore features *see* lagoons
- Siphonospaera**  
Invertebrata 36(2-3) 67-79
- size**  
Arabian Sea, Quaternary 36(1) 31-63  
Atlantic Ocean  
Pliocene 37(1) 41-52  
stratigraphy 36(4) 169-188  
Netherlands, stratigraphy 36(1) 1-12  
Quaternary 35(3-4) 141-160  
stratigraphy 37(1) 53-65; 37(1) 67-76  
slope, continental *see* continental slope
- Somali Republic**  
Quaternary 36(2-3) 91-107
- South America *see also* Brazil**  
Invertebrata, Amazon River 37(3-4) 365-379  
Ostracoda 37(3-4) 345-364  
South Korea *see* Pohang South Korea  
Southern Europe *see* Iberian Peninsula; Italy
- Spain**  
Quaternary, Malaga Spain 35(1-2) 91-103  
stratigraphy 35(3-4) 203-233
- Sphaeroidinella**  
Pliocene 35(1-2) 1-16
- Sphaerzoidae**  
Invertebrata 36(2-3) 67-79
- Sphaerzoum**  
Invertebrata 36(2-3) 67-79
- Sphenolithus**  
Atlantic Ocean, Miocene 35(3-4) 235-255
- Spumellina** 36(2-3) 67-79; 36(2-3) 81-89
- Sr-87/Sr-86**  
Italy, Quaternary 37(3-4) 289-311  
stable isotopes *see* C-13/C-12; O-18/O-16
- stratigraphic boundary *see also* K-T boundary**  
Israel, stratigraphy 35(3-4) 203-233  
Spain, stratigraphy 35(3-4) 203-233  
stratigraphy *see* Cenozoic; Cretaceous; Eocene; Holocene; Jurassic; Miocene; Neogene; Oligocene; Paleocene; Phanerozoic; Pleistocene; Pliocene; Quaternary
- strontium**  
Sr-87/Sr-86, Italy 37(3-4) 289-311
- Sweden**  
Quaternary 37(3-4) 313-325
- symposia**  
Ostracoda 37(3-4) 227-379
- taphocoenosis *see* thanatocenoses
- temperature methods *see* heat flow
- Tertiary *see* Neogene; Paleogene
- Tethys**  
Israel, stratigraphy 35(3-4) 203-233  
Spain, stratigraphy 35(3-4) 203-233
- Tetrabranchiata *see* Ammonoidea
- Tetraphyle octhacanta**  
Radiolaria 37(2) 149-171
- Thalassionema nitzschioides**  
Quaternary 37(2) 199-218
- thanatocenoses**  
Gulf of California, Radiolaria 37(2) 149-171
- thermal surveys *see* heat flow
- tidal flats**  
United Kingdom, Quaternary 36(4) 205-223
- Tortonian**  
Italy 36(1) 13-30
- total organic carbon**  
Italy, stratigraphy 37(2) 101-116
- transgression**  
Brazil, stratigraphy 37(2) 117-129  
Italy, Quaternary 37(3-4) 289-311
- Tunisia**  
stratigraphy, El Kef Tunisia 36(1) 65-66
- Tuscany Italy**  
Quaternary 37(3-4) 289-311
- Tyrrhenian Sea**  
Quaternary 37(3-4) 289-311
- Umbria Italy**  
stratigraphy 37(2) 101-116
- Umbriadinium mediterraneense**  
stratigraphy 37(2) 101-116
- United Kingdom *see* Great Britain
- Upper Cretaceous *see* K-T boundary; Senonian
- upper Miocene *see* Messinian; Tortonian
- upper Pleistocene *see* Weichselian
- upper Quaternary *see* Yoldia Sea
- upper Weichselian *see* Younger Dryas
- Valvaedinium**  
stratigraphy 37(2) 101-116
- varves**  
Sweden, Quaternary 37(3-4) 313-325
- Weddell Sea**  
paleobotany 37(2) 77-99  
Weichselian *see* upper Weichselian
- West Mediterranean *see* Alboran Sea; Tyrrhenian Sea
- West Pacific *see* Northwest Pacific
- Western Europe *see* Netherlands; Scandinavia; United Kingdom
- Yermak Plateau**  
Quaternary 37(3-4) 251-272
- Yoldia Sea**  
Sweden 37(3-4) 313-325
- Younger Dryas**  
Arabian Sea 36(1) 31-63







ELSEVIER

Marine Micropaleontology 37 (1999) 389–391

**MARINE  
MICROPALaeontology**

www.elsevier.com/locate/marmicro

## Author Index Volume 37, 1999

- Anadon, P., see Mazzini, I. 37 (1999) 289  
Aparecido do Carmo, D., see Carreño, A.L. 37 (1999) 117
- Bairbakhish, A.N., J. Bollmann, C. Sprengel and H.R. Thierstein, Disintegration of aggregates and coccospheres in sediment trap samples 37 (1999) 219  
Barbieri, M., see Mazzini, I. 37 (1999) 289  
Bollmann, J., see Bairbakhish, A.N. 37 (1999) 219  
Boomer, I., Late Cretaceous and Cainozoic bathyal Ostracoda from the Central Pacific (DSDP Site 463) 37 (1999) 131  
Boomer, I. and A.R. Lord, Marine Ostracoda and global change 37 (1999) 227  
Bucefalo Palliani, R. and J.B. Riding, Relationships between the early Toarcian anoxic event and organic-walled phytoplankton in central Italy 37 (1999) 101
- Carreño, A.L., J.C. Coimbra and D. Aparecido do Carmo, Late Cenozoic sea level changes evidenced by ostracodes in the Pelotas basin, southernmost Brazil 37 (1999) 117  
Castorina, F., see Mazzini, I. 37 (1999) 289  
Caudillo-Bohorquez, A., see Molina-Cruz, A. 37 (1999) 149  
Coimbra, J.C., see Carreño, A.L. 37 (1999) 117  
Coimbra, J.C., I.D. Pinto, N.L. Würdig and D.A. do Carmo, Zoogeography of Holocene Podocopina (Ostracoda) from the Brazilian Equatorial shelf 37 (1999) 365  
Cronin, T.M., see Jones, R.Ll. 37 (1999) 251  
Cronin, T.M., D.M. DeMartino, G.S. Dwyer and J. Rodriguez-Lazaro, Deep-sea ostracode species diversity: response to late Quaternary climate change 37 (1999) 231
- DeMartino, D.M., see Cronin, T.M. 37 (1999) 231  
do Carmo, D.A., see Coimbra, J.C. 37 (1999) 365  
Dowsett, H.J., see Jones, R.Ll. 37 (1999) 251  
Dwyer, G.S., see Cronin, T.M. 37 (1999) 231
- Ferrel, L., see Mazzini, I. 37 (1999) 289  
Flores, J.-A., R. Gersonde and F.J. Sierro, Pleistocene fluctuations in the Agulhas Current Retroflexion based on the calcareous plankton record 37 (1999) 1
- Gersonde, R., see Flores, J.-A. 37 (1999) 1  
Gliozzi, E., see Mazzini, I. 37 (1999) 289
- Harland, R. and C.J. Pudsey, Dinoflagellate cysts from sediment traps deployed in the Bellingshausen, Weddell and Scotia seas, Antarctica 37 (1999) 77

- Jones, R., see Whatley, R. 37 (1999) 327
- Jones, R.L.I., R.C. Whatley, T.M. Cronin and H.J. Dowsett, Reconstructing late Quaternary deep-water masses in the eastern Arctic Ocean using benthonic Ostracoda 37 (1999) 251
- Kaiho, K., Evolution in the test size of deep-sea benthic foraminifera during the past 120 m.y. 37 (1999) 53
- Kaiho, K., Effect of organic carbon flux and dissolved oxygen on the benthic foraminiferal oxygen index (BFOI) 37 (1999) 67
- Kameo, K. and T. Takayama, Biostratigraphic significance of sequential size variations of the calcareous nannofossil genus *Reticulofenestra* in the Upper Pliocene of the North Atlantic 37 (1999) 41
- Lord, A.R., see Boomer, I. 37 (1999) 227
- Loubere, P., A multiproxy reconstruction of biological productivity and oceanography in the eastern equatorial Pacific for the past 30,000 years 37 (1999) 173
- Mazzini, I., P. Anadon, M. Barbieri, F. Castorina, L. Ferreli, E. Gliozzi, M. Mola and E. Vittori, Late Quaternary sea-level changes along the Tyrrhenian coast near Orbetello (Tuscany, central Italy): palaeoenvironmental reconstruction using ostracods 37 (1999) 289
- Mola, M., see Mazzini, I. 37 (1999) 289
- Molina-Cruz, A., L. Welling and A. Caudillo-Bohorquez, Radiolarian distribution in the water column, southern Gulf of California, and its implication in thanatocoenose constitution 37 (1999) 149
- Pinto, I.D., see Coimbra, J.C. 37 (1999) 365
- Pudsey, C.J., see Harland, R. 37 (1999) 77
- Ramos, M.I.F., see Wood, A.M. 37 (1999) 345
- Riding, J.B., see Bucefalo Palliani, R. 37 (1999) 101
- Rodriguez-Lazaro, J., see Cronin, T.M. 37 (1999) 231
- Schoning, K. and S. Wastegård, Ostracod assemblages in late Quaternary varved glaciomarine clay of the Baltic Sea Yoldia stage in eastern middle Sweden 37 (1999) 313
- Schudack, M.E., Ostracoda (marine/nonmarine) and palaeoclimate history in the Upper Jurassic of Central Europe and North America 37 (1999) 273
- Sierro, F.J., see Flores, J.-A. 37 (1999) 1
- Sprengel, C., see Bairbakhish, A.N. 37 (1999) 219
- Takayama, T., see Kameo, K. 37 (1999) 41
- Tanimura, Y., Varieties of a single cosmopolitan diatom species associated with surface water masses in the North Pacific 37 (1999) 199
- Thierstein, H.R., see Bairbakhish, A.N. 37 (1999) 219
- Ujiié, H. and Y. Ujiié, Late Quaternary course changes of the Kuroshio Current in the Ryukyu Arc region, northwestern Pacific Ocean 37 (1999) 23
- Ujiié, Y., see Ujiié, H. 37 (1999) 23
- Vittori, E., see Mazzini, I. 37 (1999) 289
- Wastegård, S., see Schoning, K. 37 (1999) 313
- Welling, L., see Molina-Cruz, A. 37 (1999) 149
- Whatley, R. and R. Jones, The marine podocopid Ostracoda of Easter Island: a paradox in zoogeography and evolution 37 (1999) 327
- Whatley, R.C., see Jones, R.L.I. 37 (1999) 251
- Whatley, R.C., see Wood, A.M. 37 (1999) 345

- Wood, A.M., M.I.F. Ramos and R.C. Whatley, The palaeozoogeography of Oligocene to Recent  
marine Ostracoda from the Neotropics (mid- and South America) and Antarctica 37 (1999) 345  
Würdig, N.L., see Coimbra, J.C. 37 (1999) 365



